



WALK-IN COOLERS AND FREEZERS



EASY TO DO BUSINESS WITH



EASY TO DO BUSINESS WITH

OUR #1 PRIORITY IS
CUSTOMER SATISFACTION

OVER 200 DEDICATED &
TALENTED EMPLOYEES

THE MOST ADVANCED
XPS INSULATION

ALL AMERICAN
MANUFACTURING

OVER 30 EXPERT
SPECIALIST



OVER 40 YEARS
IN BUSINESS

INDUSTRY LEADING
INNOVATION

FULLY CERTIFIED
ACROSS THE U.S.

OVER 500,000
SATISFIED CLIENTS

200,000 SQ. FT.
PRODUCTION FACILITY



INDEX

History	01
About Us	02
Models	03
Quick Ship	04
Features	05
Accessories	06
Floors	07
Panels	08
Insulation Comparison	09
XPS Insulation	10
Refrigeration	11
Warranties & Certificates	12



1975

After graduating from college Cuban Immigrant Renato Alonso start working at his father's company fabricating steel and designing bridges for the islands in the Caribbean.

1981

In learning more about the steel trade and fabrication, Renato launches a new company; Metal Equipment of Florida, focusing on stainless-steel equipment manufactured for the food industry.

1985

Amerikooler is born. Mr. Alonso establishes the new Walk-In Cooler and Freezer company is a small office and brings in his first two employees.

1997

Amerikooler has flourished moving into a new 80,000 sq. ft. facility and developing automated manufacturing process to keep pace with demand.

2013

Mr. Alonso's son Gian Carlo Alonso becomes VP of Sales and then CEO in 2013, fast tracking Amerikooler into one of the fastest growing Walk-In Manufactures in the U.S.

2021

Foreseeing future supply issues from the pandemic, Amerikooler pre-stocked its production materials, never slowing down orders and retaining almost 100% of our workforce.

2025


Amerikooler continues to invest in and enhance our production technologies with a focus on automation and sustainability while servicing customers in all 50 states and over 30 international markets.



WHY CHOOSE AMERIKOOLER?



Amerikooler, the fastest-growing privately held walk-in manufacturer in the U.S., remains committed to future investments, production automation, and sustainability—while upholding uncompromising quality and manufacturing every Walk-In using only the highest-quality American-Made materials.



Fastest Lead-Times



Always Reliable



Highest Quality



Premium Value



Amazing Service

CUSTOMER CREDIBILITY WE'RE MORE THAN JUST OUR PRODUCTS

A SMALL SAMPLE OF SOME OF OUR KEYSTONE CUSTOMERS



We stand by our products and service; the quality of Cool makes Amerikooler the

#1 CHOICE FOR ALL YOUR WALK-IN COOLER AND FREEZER NEEDS



Standard Walk-Ins

TYPES



Indoor Remote & Self Contained



Outdoor Remote & Self Contained

MODELS



Standard Quik Ship



Cooler + Freezer Compartments



Custom Configurations



Glass Door Applications



Warehouse Applications

FINISHES



Stainless Steel Exterior



Acrylume Stucco Exterior



White Stucco Exterior



Black Stucco Exterior

Standard Specifications

- ✓ 4" thick AK-XPS insulation with R-Values of R-29 for coolers and R-32 for freezers.
- ✓ Acrylume® coated corrosion resistant stucco embossed Galvalume on all interior and exterior surfaces.
- ✓ Smooth aluminum or stainless steel floor rated at 700 lbs/sq.ft. of uniformly distributed load with 1/2" radius cove.
- ✓ 30"W x 76"H or 36"W x 76"H flush mounted self closing centered door.
- ✓ 2 Super cam-rise spring assisted hinges.
- ✓ Deadbolt keyed handle latch.
- ✓ Outdoor Walk-In accessories include: rain roof membrane, exterior floor angles and door hood
- ✓ Freezer door with mounted pre-wired PRV and heated relief vent.
- ✓ Vapor-proof LED light fixture centered on interior door jamb.
- ✓ Digital LED thermometer with on/off pilot light switch.
- ✓ Floor-less Walk-Ins are supplied with NSF vinyl screed.
- ✓ Interior safety lock releaser handle.
- ✓ Spring actuated door closer.

AK-Series 3 Quick Ship

THE FASTEST WALK IN ON THE MARKET

When you need a reliable and efficient Walk-In but don't have the time to wait weeks for delivery - look no further. Our Series 3 Quick Ship Walk-Ins offer a 3 day lead-time for fast and easy installation. Pair it with either an Indoor or outdoor self contained unit for even faster setup!




THE CONVENIENCE OF KOOL IN JUST 2 DAYS!

SPECS AND SIZES

The Series 3 Quick Ship Walk-Ins are built to meet your specific requirements; with a standard set of sizes and a premium accessories package included you never have to sacrifice quality for speed. Choose AK Series 3 Walk-Ins for the best of both worlds when you need cool fast.

- R-29 for coolers or R-32 for freezers
- Your choice of 76" x 30" or 76" x 36" flush mounted centered door
- Top mount self-contained units, indoors/outdoor 35°F, -10°F
- Remote systems, outdoor 35°F, 0°F, -10°F
- All refrigeration with mounted components, 208-230/1/60
- Premium accessories package comes standard (See Next Page)



6"x6"



6"x8"



6"x10"



6"x12"



8"x8"



8"x10"



8"x12"



10"x10"




10"x12"

Standard Walk-In Accessories

SELECTION OF COMMON ITEMS

DELUXE PERFORMER™ HINGES

Standard 2 lift-off adjustable super cam-rise spring assisted hinges available with brushed chrome finish.



1

PRV (PRESSURE RELIEF VALVE)

Standard pre-wired heated pressure relief vent with springless valves mounted on freezer doorframe.



2

AUTOMATIC DOOR CLOSER


Standard spring actuated door closer provides fast, full closure of Walk-In doors.



3

LOCKING DOOR HANDLE

Standard deadbolt keyed pull handle latch with brushed chrome finish. Interior 1/4 turn safety lock release latch.



4

LED DOOR LIGHT


Standard low profile vapor-proof LED light fixture centered on interior door jamb. Directs light for better visibility of product on shelves.



5

DIGITAL LED THERMOMETER


Standard DTL Digital LED thermometer with illuminated on/off pilot light switch.



6

INTERIOR / EXTERIOR RAMPS


Optional upgrade interior and exterior DTP ramps available, matched to door width.



7

KICK PLATES / WAINSCOTING

Optional upgrade DTP available 36" high for interior and exterior doors and walls.



8



Every accessory and Kason part we offer is 100% made in the USA; ensuring superior quality, reliability, and full compliance with domestic manufacturing standards. Because we believe quality starts at the source.



Optional Walk-In Upgrades

SELECTION OF POPULAR ITEMS



WINDOWS / VIEWPORT

Optional upgrade available in standard sizes; 12" x 12" or 12" x 24" with satin aluminum trim + heater wire for freezers.



9

STRIP/AIR CURTAIN

Optional Upgrade EASIMOUNT® Vinyl strip curtain or standard and low profile air curtain with variable speed.



10

75LCT MODULARM

Optional upgrade multi monitor with intuitive touch screen with adjustable settings for audiovisual alarm on temperature and door.



11

INTELLIGEN UNIT

Optional upgrade refrigeration controller replaces mechanical components and allows remote monitoring capability.



12

GLASS DOORS

Optional upgrade: robust 3 pane glass doors in a wide range of sizes and finish options that are perfect for convenience store Walk-Ins.



13

SLIDING DOORS

Optional upgrade manual hanging sliding door with ultra smooth track mechanism with guide rail for large door openings or warehouses.



14

LED LIGHTS

Optional upgrade LED light fixture in 48" and other sizes compatible for coolers or freezers.



15

CASPR UNIT

Optional upgrade continuous natural air purifier self contained unit that kills 99.96% of viruses, bacteria and mold on surfaces.



16

STANDARD FLOORS

MAX RECOMMENDED LOAD TYPES



FOOT TRAFFIC



HAND TRUCKS



LOG CARTS



PAN ROLLING CARTS



DUNNAGE RACKS




DOLLIE CARTS




HAND PALLET JACK

BASIC UNREINFORCED FLOORS*




CATEGORY 1: STANDARD

.090 Smooth Aluminum Floor
Rated at 700 Lbs. Per Sq. Ft.
of Uniformly Distributed Load



CATEGORY 1: STANDARD +


20 Gauge Stainless steel Floor
Rated at 850 Lbs. Per Sq. Ft.
of Uniformly Distributed Load



CATEGORY 2: PREMIUM

Integral Diamond Tread Plate floor
Rated at 900 Lbs. Per Sq. Ft.
of Uniformly Distributed Load

BASIC REINFORCED FLOORS*




CATEGORY 3: DELUXE

Underlayment Reinforced floor + Your choice of:

- .090 Smooth Aluminum Rated at 1000 Lbs.
- 20 Gauge Stainless Steel Rated at 1100 Lbs.
- Integral DTP Rated at 1300 Lbs.

Per Sq. Ft. of Uniformly Distributed Load



CATEGORY 3: ULTIMATE

Underlayment Reinforced floor
& Load bearing Pylon Grid + Your choice of:


- 18 Gauge Stainless Steel Rated at 2600 Lbs.
- Integral DTP Rated at 2700 Lbs.

Per Sq. Ft. of Uniformly Distributed Load

*Other Floor Options
Are Available

FLOOR ACCESSORIES



FLOOR SPECS



- Integral Floor Panels with 1/2" Radius Cove around entire interior perimeter of floor or on screeds of floor-less Walk-Ins
- NSF Approved Compression Gaskets Applied to Tongue Side of All Panels
- No Hard-Nose Low Insulation Framing 4" Rigid AK-XPS Grey Extruded Foam Insulation
- Tongue & Groove with Same AK-XPS Insulation
- Assembly with Corrosion Resistant Cam-Action Locking Devices
- Access to Locking Devices via Interior of Panels
- PVC Press-Fit Caps Provided to Seal 3/8" Diameter Hex-Wrench Ports

EXTERIOR RAMPS

INTERIOR RAMPS



STANDARD FINISH OPTIONS



SMOOTH ALUMINUM
Smooth brushed aluminum finish recommended for light foot traffic



STAINLESS STEEL
Smooth polished brushed stainless steel finish recommended for medium foot traffic




INTEGRAL DTP
Smooth polished Diamond Tread Plate finish recommended for heavy foot traffic

EXTRUDED POLYSTYRENE


AK-XPS, THE MOST DVANCED WALK-IN INSULATION YET

Amerikooler’s exclusive XPS insulation, crafted with DuPont’s proprietary formula, is engineered specifically for Walk-Ins, offering superior thermal efficiency, strength, and moisture resistance. Far more advanced than common XPS, expanded polystyrene, or even urethane foamed-in-place panels, our XPS sets a new standard in durability and performance. Don’t let competitors confuse the facts—our insulation technology is unmatched in the industry.



FEATURES	EXPANDED POLYSTYRENE INSULATION	VS	URETHANE FOAMED-IN-PLACE INSULATION	VS	AK-XPS EXTRUDED POLYSTYRENE INSULATION
4" Thick Insulation on Coolers & Freezers	YES		YES		YES
100% Void Free Insulation	YES		NO		YES
Ultra Uniform Foam Density	NO		NO		YES
Fully Hydrophobic (Water Repelling)	NO		NO		YES
Consistent R-Values Over Time	NO		NO		YES
50 Year Thermal Warranty	NO		NO		YES
Fully EISA Complaint Across all 50 states	NO		YES		YES
Meets or Exceeds All U.S. HFC Regulations	NO		NO		YES
Compliant With Latest Flame & Smoke Tests	NO		YES		YES
100% Recyclable Sustainability	YES*		NO		YES
Lower GWP & Embodied Carbon	NO		NO		YES

THERMAL PERFORMANCE REDEFINED



PERFORMANCE
50 Year Thermal Warranty



WEATHERPROOF
Insulating Shield



SUSTAINABILITY
Looking To The Future

THE NEXT STEP IN INSULATION.

- AK-XPS Grey: Engineered by DUPONT for Unmatched Efficiency and Sustainability.
- Continuous Insulation Guaranteed By 50 Year Thermal Warranty.
- Eco-Friendly And 100 % Recyclable With Reduced Global Warming Potential.
- Reduced Cost Over Time By Lowering Operating And Upkeep Costs, Extending Walk-In Lifetime.
- Meets and Exceeds Industry standards And Regulations In all 50 states.

For the most energy-efficient, long lasting, & durable Walk-In Coolers & Freezers, choose Amerikooler XPS Grey.



INSULATION CERTIFICATIONS



Certified by verified 3rd party EPD through ULSpot for R-Value



Certified by verified 3rd party EPD through ULSpot to contain average of 20% pre-consumer recycled content



Certified by U.S. Green Building Council's leadership in energy and environmental design (LEED)



Compliant under ICC-ESR 2142 for Non-HFC regulated states in the U.S.



Compliant in select U.S. states Code Reports ICC-ESR 4755



Compliant to ASTM C578 guidelines for specifications & physical property requirements



Compliant to IBC 2303.3/26035.5 & ASTM E84/NFPA 285 Tests for flame spread 0-15 & smoke developed 155-165




HEATCRAFT REFRIGERATION




We partner with Heatcraft to deliver reliable, energy-efficient cooling for every walk-in. Featuring microchannel condensers, electronic expansion valves, and variable-speed compressors, our systems are designed to optimize performance and reduce operating costs. With customizable options through InterLINK and IntelliGen, we provide tailored refrigeration solutions to meet your exact needs—while staying fully aligned with the latest U.S. refrigeration standards and regulatory requirements.

SELF CONTAINED PRO3



PRO³ Top Mount refrigeration system combines a unit cooler and condensing unit into one, making install and setup a breeze and expediting installation time and reducing refrigerant charge.


-  Advanced digital control system to control and monitor all systems.
-  Simple and easy installation + easy access for fast maintenance.
-  Comes fully assembled, evacuated, charged, run-tested and wired.



REMOTE LOW PROFILE



Low Profile Unit Coolers are engineered for efficiency and improved air circulation. Features hinged and removable access panels, hinged drain pan and an easy service motor mount to reduce maintenance time and cost.

-  High efficiency means long term cost savings.
-  Compact design that's easy to service and maintain.



REMOTE CENTER MOUNT

Center Mount Unit Coolers can be mounted flush against the ceiling, which creates space for shelving and more product storage. Bi-directional airflow ensures uniform cooling.

-  Even air distribution on both sides.
-  Easy access to components for fast and easy maintenance.



Meet Heatcraft's IntelliGen™ Solution By AmeriKooler

STRUGGLING TO MONITOR & CONTROL YOUR WALK-INS?

Don't let temperature swings, high energy bills, and costly repairs catch you off-guard. Heatcraft's IntelliGen™ refrigeration control unit brings real-time monitoring, automated alerts, and remote access to your fingertips.

Available as an upgrade with any Custom Walk-in Cooler or Freezer (excluding quick ships), IntelliGen™ lets you replace outdated mechanical components and switch to modern digital systems; giving you powerful, flexible control from anywhere.



Intelligent Controls



Remote Access



Dashboard Reports



WiFi System Direct Connect

WARRANTIES & CERTIFICATIONS



50 Year Thermal Warranty

15 Year Panel Limited Warranty

5 Year Doors & Floors Limited Warranty

5 Year Compressor Limited Warranty

1 Year Parts Limited Warranty

1 Year Labor Limited Warranty

15 Year Panel Warranty

Standard and Optional* Warranties Shown

1 Year Parts Warranty

1 Year Labor Warranty *Optional

AMERIKOOLER WARRANTY CERTIFICATIONS

Amerikooler backs its products with industry-leading warranties and full certification across the U.S. and Canada. Every walk-in panel, refrigeration system, and insulation component is engineered to meet or exceed all applicable regulatory standards, including construction, safety, and energy efficiency codes. From manufacturing through installation, we ensure total compliance with NSF, UL, FM, DOE, and CSA standards—delivering peace of mind with every cooler and freezer we build.

*Refrigeration System Components Will Be Covered Per Original Equipment Manufacturer's Warranty Terms & Conditions



NSF INTERNATIONAL STANDARD NO. 7



ENERGY INDEPENDENCE & SECURITY ACT COMPLIANT



ASTM INTERNATIONAL HYDROPHIBIC INSULATION ASTM C272 M-18



DEPARTMENT OF ENERGY (DOE)



LA DEPARTMENT OF BUILDING & SAFETY RR 26189



UL STANDARD 723.11 PANELS & DOORS



OREGON INSIGNIA OF COMPLIANCE NO. M-PFC 688



CITY OF HOUSTON, TX PUBLIC WORKS & ENGINEERING NO.694



MIAMI-DADE COUNTY BUILDING NOA 22-0914.05



BUILDING CODE APPROVED # FL22413-R2

CODE APPROVAL & INDUSTRY LISTING CERTIFICATIONS



1.800.627.5665
www.amerikooler.com

575 East 10th Avenue,
Miami, Florida 33010 USA